

KING'S HEALTH PARTNERS - KCH QUICK GUIDE TO HAEMATOLOGY

PLEASE ENSURE ALL RELEVANT RESULTS ARE SENT WITH THE REFERRAL

For two week wait pathway, please continue to use existing documentation/pathways.

Telephone advice and guidance is also available via ConsultantConnect, and email advice and guidance via E-RS.

This guide does not yet cover thrombosis and haemostasis, please refer to the trust website for details on referrals to this service.

Version control:

There are two controlled versions of this document, one for GSTT and one for KCH. While the clinical content is the same, contact details/suggested clinics differ between the two versions. Any suggested amendments should be submitted to all the document owners:

GSTT Document Owners	KCH Document owner
Dr Rachel Kesse-Adu Rachel.Kesse-Adu@gstt.nhs.uk	Dr Robin Ireland r.ireland@nhs.net
Dr Gulnaz Shah Gulnaz.Shah@gstt.nhs.uk	

Version Control GSTT Document

Document name	KHP-GSTT Quick Guide to Haematology
Document location	DXS and Trust website
Version	Version 1
Effective from	March 2017
Review date	December 2020
Owner	R Kesse-Adu and G Shah
Author	Consultant Haematologist
Approved by, date	Gulnaz Shah, March 2017
Superseded documents	Quick Guide to Haematology
Related documents	KHP-GSTT Adult Haematology GP Referral Guide

Version Control KCH Document*

Version	QPulse Document Number	Change details	Change Owner	Active date
Version 1	PDC184: KHP-KCH Quick Guide: Joint Adult Haematology Referral	FINAL DRAFT	Robin Ireland	May 2018

*Version controlled via KCH Haematology QPulse system: please ensure subsequent revisions of this document are sent to the Haematology Clinical Quality Manager (Helena.munro@nhs.net). Controlled copy available [Y:\Guidelines](#)

Differences between KCH and GSTT versions:	Location
Version control details	Front page
Suggested clinic to refer to and contact details including suspected spinal cord compression pathway	In each section
Generic comments re Two Week Waits, ConsultantsConnect and Thrombosis/Haemostasis included in KCH version	Front page

QUICK GUIDE TO HAEMATOLOGY PLEASE ENSURE ALL RELEVANT RESULTS ARE SENT WITH THE REFERRAL

Referral category	Suggested tests	Criteria for urgent referral	Criteria for routine referral	Suggested clinic to refer to
Anaemia If Iron deficient refer to gastro-enterology, gynaecology or urology as appropriate	Detailed history including dietary, blood film, reticulocytes, haematinic assays, immunoglobulins and serum protein electrophoresis to assess for paraprotein, renal function	Leucoerythroblastic film, unexplained progressive symptomatic, enlarged spleen or lymph glands	Persistent unexplained anaemia, intolerance or suboptimal response to oral iron. B12 deficiency + no evidence of pernicious anaemia	Non-Malignant Haematology Clinic
Erythrocytosis/polythaemia Is judged on basis of HCT or PCV.	Repeat blood test when non-fasted, alcohol/ smoking, glucose, drugs, JAK2 mutation (97% positive in PVera)	HCT ♂ >0.60 or ♀ >0.56 Recent thrombosis, neurological or visual symptoms	Persistently elevated HCT ♂ >0.51 or ♀ >0.48 (nb lower if associated iron deficiency). Associated itch or ↑WBC / Plts	General Haematology or Myeloid Clinic
Haemochromatosis/Elevated ferritin	Detailed history and examination- transferrin saturation, HFE genotype, exclude neoplasia, inflammatory markers, Virology-hep B, C, HIV, alcohol status, liver profile, Metabolic syndrome – check BP, BMI, Cholesterol, triglycerides glucose/HBA1C, renal failure, thyrotoxicosis	Evidence of cardiac, liver or endocrine damage	Persistent unexplained raised ferritin, genetic counselling of relatives.	General Haematology Clinic
Haemoglobinopathy Sickle cell disease and thalassaemia	FBC, Hb Electrophoresis (essential), renal and liver function.	Acute presentation of severe pain, acute chest syndrome, stroke or priapism should be referred directly to A+E	Sickle cell disease (HbSS, HbSC, HbSB thalassaemia, HbSD, HbSE, HbS-OArab) B thalassaemia major B thalassaemia intermedia HbH disease	Adult haemoglobinopathy clinic
Lymphadenopathy	FBC, blood film, glandular fever, HIV test, monitoring	>1cm for >6 weeks; <6 weeks + B* symptoms; enlarging/>1 site, hepatosplenomegaly, abnormal FBC	Persistent lymphadenopathy not meeting urgent criteria	Rapid Access Lump Clinic or Lymphoma Clinic
Lymphocytosis Lymphocytes >4 x10 ⁹ /L	Repeat FBC, Blood film, Glandular fever screen if appropriate, smoking history	Anaemia, ↓ANC, ↓platelets, splenomegaly, painful /progressive lymphadenopathy, B* symptoms	Persistent lymphocytes > 5 x10 ⁹ /L, not meeting urgent criteria	Lymphoid Clinic
Macrocytosis Treat B12/folate deficiency before referral. Uncomplicated pernicious	Blood film B12/folate (IF/coeliac antibodies if abnormal), alcohol/ liver/thyroid screen, serum protein electrophoresis review medications	Associated neurological symptoms	Persistent unexplained isolated MCV>105fl or MCV> 100fl and a cytopenia (hb< 100, ↓WBC or platelets < 100).	General Haematology Clinic or Myeloid clinic if suspected MDS

Referral category	Suggested tests	Criteria for urgent referral	Criteria for routine referral	Suggested clinic to refer to
anaemia does not need review			Suspected myelodysplasia	
Neutropenia <1.5 x10 ⁹ /L (<0.8 in African Caribbean)	Review ethnicity + drugs, blood film, haematinics, Virology-hepatitis B and C, HIV, autoimmune screen	Susceptibility to infection, associated pancytopenia	Unexplained and persistently <1.5 x10 ⁹ /L (nb <0.8 in African Caribbean)	General Haematology or Myeloid Clinic
Eosinophilia >1.5 x10 ⁹ /L	Blood film Inflammatory markers-CRP and ESR, renal, liver and bone profile LDH, Vitamin B12, Allergy/atopy status Stool cultures for parasites	Leucoerythroblastic film, ANC > 50 x10 ⁹ /L, AEC > 10 x10 ⁹ /L, Eosinophils >1.5 x10 ⁹ /L with evidence of organ damage	Eosinophils >1.5 x10 ⁹ /L	Myeloid Clinic
Neutrophilia/leucocytosis >15 x10 ⁹ /L	Blood film, inflammatory markers, smoking	Leucoerythroblastic film, ANC > 50 x10 ⁹ /L, Please phone on call haem consultant via switchboard if ANC >100 or Symptomatic for ↑viscosity	Persistently unexplained WBC >20 x10 ⁹ /L, Neuts >15 x10 ⁹ /L	General Haematology or Myeloid Clinic
Paraprotein disorders ie presence of monoclonal protein band on serum electrophoresis and/or raised serum free light chains with abnormal ratio and/or presence of urinary Bence jones proteins	FBC, renal and bone profile	Presence of ↑calcium, ↑lymphs unexplained renal failure, bone pain or pathological #, anaemia, enlarged spleen/lymph glands Suspected spinal cord compression by phone: MSCC co-ordinator: 0203 2995468. OOH - on call KCH neurosurgical registrar: 0203 2994207	Newly diagnosed paraprotein not meeting criteria for urgent referral	Myeloma Clinic
Thrombocythaemia/Thrombocytosis Plts >450 x10 ⁹ /L	Blood film, exclude iron deficiency with ferritin/iron studies, inflammatory markers	Plts >1000 x10 ⁹ /L or >600 recent thrombosis/bleed	Persistent unexplained plts >450 x10 ⁹ /L	Thrombosis/haemostasis clinic or Myeloid Clinic
Thrombocytopenia Plts <150 (80 in African Caribbean)	Blood film, repeat for persistence, autoimmune profile, haematinics, liver profile, alcohol history, drug review, HIV, hepatitis B and C test	Plts <50 x10 ⁹ /L or 50-100 + other cytopenia, spleen/lymph glands, pregnancy, surgery <20 /active bleeding by phone	Persistent <100 x10 ⁹ /L (<80 in African Caribbean); history of thrombosis	Thrombosis/haemostasis clinic for isolated thrombocytopenia. Myeloid Clinic for thrombocytopenia w anaemia/neutropenia

PLEASE ENSURE ALL RELEVANT RESULTS ARE SENT WITH THE REFERRAL