

# Surgical management of miscarriage (SMM)

---



## Information for patients

This information is for patients attending day surgery for surgical management of miscarriage (SMM). We are sorry for your loss and hope that you find this information useful.

### Confirming your identity

Before you have a treatment or procedure, our staff will ask you your name and date of birth and check your ID band. If you don't have an ID band we will also ask you to confirm your address.

If we don't ask these questions, then please ask us to check.

**Ensuring your safety is our primary concern.**

## What is surgical management of miscarriage (SMM)?

Surgical Management of Miscarriage or (SMM) is performed under general anaesthetic. This procedure is offered to women who have had a pregnancy loss and would like this treated with surgery while they are asleep (under anaesthetic). We do this procedure in our Day Surgery Unit on Mondays, Wednesdays and Fridays (except for Bank Holidays).

### Benefits of SMM

The benefits of this procedure include:

- Having a confirmed date and time for management of your miscarriage.
- As you will be asleep, you will not be aware while the procedure takes place.
- You will not have the heavy cramping and bleeding that happens with conservative management of miscarriage.
- As the procedure is done with ultrasound guidance, the risk of repeat procedures is less.

### Risks of SMM

The risks of this procedure include:

- Infection – this can be treated with antibiotics.
- Bleeding – this is to be expected for two to three weeks. If the bleeding is heavy, it may be because there is some tissue left in the womb.
- Risk of injury to the uterus or the cervix. This is very rare but may require further surgery.
- Minimal risk of uterine adhesions (Asherman's Syndrome). This usually does not have any fertility implications.

### Before your procedure

The nurses will tell you when your surgery will be. The table on the next page shows you what time you must stop eating and



drinking before the procedure. You can have water up until two hours before the operation. Do not eat sweets or chew gum as your operation may be cancelled.

Remember to remove nail varnish and make-up, and to have a shower or bath before attending day surgery. Please leave your valuables at home.

## On the day of your procedure

The table below shows what time you must stop eating and drinking if you arrive at 7:30am or 12:30pm.

Time of arrival	7:30am	12:30pm
Last meal	Midnight	7:30am
Last drink of water only	5:30am	11:30am

When you arrive in day surgery you will be called through to a room with a bed. Your family or friends will be asked to wait for you in the waiting room. The nurses will show you to your allocated bed space. You will be asked to change into a hospital gown that is open at the back. We advise that you bring a dressing gown and a pair of slippers so that you can walk to the toilet.

The nurses will monitor your blood pressure, pulse, oxygen levels, temperature and give you some medication. You may be given a vaginal pessary called Misoprostol to help soften the cervix to make the procedure easier.

You will be seen by the surgeons and the anaesthetist who will assess you again. They will also decide on the order of the operating list and will let you know what time you will be taken into the operating theatre.



The procedure can take 15 to 30 minutes. After the procedure, staff will ensure that you are fully awake and aware of your surroundings. You will be given a light snack to ensure that you can eat and drink without vomiting. Staff will also ensure that you are able to pass urine.

Once your observations are stable and you have recovered from the anaesthetic, the nurses will call your escort to take you home.

\*Patients whose blood group is rhesus negative will be given an Anti D injection.

Please take a car or taxi home. Do not take public transport.

## After your procedure

After your procedure, you may experience some vaginal bleeding and pain that can last for up to two weeks. This should get lighter as the days go on. Your next period should return 4 to 6 weeks after the operation, depending on your menstrual cycle.

After the operation, you may have a bath but we recommend that you have showers to reduce the risk of infection. During your two-week recovery period, we ask that you:

- do not use any vaginal douches or bath salts
- do not use tampons
- do not have sexual intercourse

This is to reduce the risk of infection.

If you have offensive discharge or a fever, please contact your GP or attend the Early Pregnancy Unit as you may need to take antibiotics.



If you have heavy bleeding that is soaking a pad within 45 to 60 minutes, or pain that is not being relieved with regular painkillers, please go to A&E.

If you would like to discuss any issues you may have after your procedure, please contact:

### **The Day Surgery unit**

7:30am to 7pm Monday to Friday on:  
020 3299 3483 or 020 3299 3674

You can also contact the Early Pregnancy department  
8:30am to 4:30pm Monday to Friday on 020 3299 3168 or  
020 3299 7232.

The Miscarriage Association has more information and support: [www.miscarriageassociation.org.uk](http://www.miscarriageassociation.org.uk)

## **Sharing your information**

We have teamed up with Guy's and St Thomas' Hospitals in a partnership known as King's Health Partners Academic Health Sciences Centre. We are working together to give our patients the best possible care, so you might find we invite you for appointments at Guy's or St Thomas'. To make sure everyone you meet always has the most up-to-date information about your health, we may share information about you between the hospitals.

## **Care provided by students**

We provide clinical training where our students get practical experience by treating patients. Please tell your doctor or nurse if you do not want students to be involved in your care. Your treatment will not be affected by your decision.



## **PALS**

The Patient Advice and Liaison Service (PALS) is a service that offers support, information and assistance to patients, relatives and visitors. They can also provide help and advice if you have a concern or complaint that staff have not been able to resolve for you. The PALS office is located on the ground floor of the Hambleton Wing, near the main entrance on Bessemer Road - staff will be happy to direct you.

PALS at King's College Hospital, Denmark Hill, London SE5 9RS  
Tel: **020 3299 3601**

Email: **[kch-tr.palsdh@nhs.net](mailto:kch-tr.palsdh@nhs.net)**

You can also contact us by using our online form at  
**[www.kch.nhs.uk/contact/pals](http://www.kch.nhs.uk/contact/pals)**

If you would like the information in this leaflet in a different language or format, please contact PALS on **020 3299 1844**.





