

Dental radiology (adult patients)

Information for patients

This sheet aims to provide you with information about your dental radiography (X-ray) examination. If you have any other questions or concerns, please do not hesitate to speak to the team caring for you.

Confirming your identity

Before you have a treatment or procedure, our staff will ask you your name and date of birth and check your ID band. If you do not have an ID band we will also ask you to confirm your address. If we do not ask these questions, then please ask us to check. Ensuring your safety is our primary concern.

Background

Your doctor or healthcare professional has referred you for a dental radiography (X-ray) examination based on your clinical details. This is done so that they can make a diagnosis or monitor the progress of your treatment.

You can discuss with your doctor or healthcare professional how information from the examination will help them in your diagnosis or treatment.

X-rays are a type of radiation like visible light, but with more energy. As they pass through the body, varying amounts of different bodily tissues block them. The resulting shadow builds a picture on the other side.

X-rays are part of a group known as 'ionising radiation'. This means they have enough energy to disrupt an atom's normal state, which has the potential to cause adverse health effects. Special systems are in place regulating the use of ionising radiation to safeguard anybody exposed to them. The *Ionising Radiation (Medical Exposures) Regulations 2017* govern the safe use of ionising radiation in hospitals and ensure your X-ray image is justified before it goes ahead.

This means the benefits from having the examination and making the right diagnosis or providing the correct treatment outweigh the low risk involved with the radiation.

The X-ray machine

The X-ray machine directs a beam of X-rays through the body and on to a special detector. A picture is produced by different amounts of the X-ray beam reaching the detector.

Depending on the needs of your examination, you will have either an intra-oral or extra-oral X-ray. This means the X-ray detector will be inside or outside the mouth.

Intra-oral examinations examine a small area, and an X-ray machine will be directed at the relevant part. You will hold in your mouth a small apparatus containing special film, which records the X-ray image.

Extra-oral examinations examine a larger area, focusing on the jaw or skull. You will rest your head against a specially designed X-ray machine. Depending on the type of examination, the machine may rotate as the X-rays are directed through the body to create a wide-angled image. The X-rays are captured by a detector on the opposite side of the head.

The X-ray machines are regularly serviced and checked to make sure that they are safe and work correctly.

The radiographers are trained to take the best possible images using the lowest amount of radiation practicable. They will also explain the benefits and risks of the scan you are undergoing.

Will I be exposed to radiation?

Each X-ray image involves exposure to radiation but the amount of radiation is kept to a minimum. Basic X-ray examinations producing a single picture involve very low amounts of radiation. The amount of radiation received varies with the type of examination, ranging from the equivalent of a few days of natural background radiation to a few months. Typical doses are stated below under, 'Dose and risk examples'.

The radiation doses associated with basic X-ray examinations are too low to produce immediate harmful effects such as skin burns.

At these low doses, there is a very small increase in the risk of cancer occurring many years or decades after the X-ray image. However, these risk levels are very small when compared to the natural risk of getting cancer (1 in 2 people). Additional risk levels are stated below under, 'Dose and risk examples'.

X-ray doses in perspective

We are all exposed to radiation from the natural environment every day of our lives. This 'background radiation' comes from the earth and building materials around us, the air we breathe, the food we eat, and even from outer space (cosmic rays). Radiation exposure is measured in a unit called sieverts (Sv). The average annual radiation dose a person in the UK receives is 2.7 millisieverts (mSv) (source: Public Health England, 2016). Of this, around 2.3 mSv comes from natural background radiation.

For example, a one-way transatlantic flight can provide a radiation dose of about 0.08mSv, or approximately 11 days of the average annual radiation dose. Each medical examination involving radiation adds a small dose on top of this natural background radiation.

Results of your X-ray image

The radiographers performing the X-ray image will not know the results straightaway. A trained radiographer or radiologist will need to examine the image and report the results. The results will then be sent to the doctor looking after you, who will discuss them with you.

Dose and risks examples

Exam	Typical effective doses (mSv)	Equivalent natural background radiation	Lifetime additional risk of fatal cancer per examination
Teeth (single bitewing) X-ray	less than 0.01	A few days	Negligible risk (less than 1 in 1,000,000)
Teeth (panoramic) X-ray	0.01		
Skull X-ray	0.07	A few weeks	Minimal risk (1 in 1,000,000 to 1 in 100,000)
Neck X-ray	0.08		

For more information, please visit

- [Patient dose information: guidance \(www.gov.uk\)](http://www.gov.uk)
- [X-ray \(www.nhs.uk\)](http://www.nhs.uk)
- [Acute dental care \(www.kch.nhs.uk\)](http://www.kch.nhs.uk)
- [Orthodontics \(www.kch.nhs.uk\)](http://www.kch.nhs.uk)
- [Paediatric dentistry \(www.kch.nhs.uk\)](http://www.kch.nhs.uk)
- [Special care dentistry \(www.kch.nhs.uk\)](http://www.kch.nhs.uk)
- [Community special care dentistry \(www.kch.nhs.uk\)](http://www.kch.nhs.uk)
- [Medical radiation: uses, dose measurements and safety advice \(www.gov.uk\)](http://www.gov.uk)

Before the dental X-ray procedure

If you are, or think you may be pregnant, please tell the radiographer before you have the examination.

If you have had a previous reaction to X-ray contrast injections, please let the radiographer know.

Useful contacts

If you have any further questions please ask a member of staff:

Acute dental care department (telephone):	020 3299 3052
Orthodontics/Paediatric dentistry department (telephone):	020 3299 3055
Special care dentistry department (telephone):	020 3299 4988
Community special care dentistry department (telephone):	020 3299 3480

Sharing your information

We have teamed up with Guy's and St Thomas' Hospitals in a partnership known as King's Health Partners Academic Health Sciences Centre. We are working together to give our patients the best possible care, so you might find we invite you for appointments at Guy's or St Thomas'. To make sure everyone you meet always has the most up-to-date information about your health, we may share information about you between the hospitals.

Care provided by students

We provide clinical training where our students get practical experience by imaging patients. Please tell your doctor or nurse if you do not want students to be involved in your care. Your imaging will not be affected by your decision.

PALS

The Patient Advice and Liaison Service (PALS) is a service that offers support, information and assistance to patients, relatives and visitors. They can also provide help and advice if you have a concern or complaint that staff have not been able to resolve for you. They can also pass on praise or thanks to our teams.

PALS at King's College Hospital, Denmark Hill, London SE5 9RS

Tel: 020 3299 3601

Email: kch-tr.palsdh@nhs.net

PALS at Princess Royal University Hospital, Farnborough Common, Orpington, Kent BR6 8ND

Tel: 01689 863252

Email: kch-tr.palspruh@nhs.net

If you would like the information in this leaflet in a different language or format, please contact our Communications and Interpreting telephone line on 020 3299 4826 or email kch-tr.accessibility@nhs.net